





## **IPP Performance Grade Roller Brush**

USED WITH IPP UREATHANE TOP COATS


**FOR CONCRETE, MASONRY & WOOD**




**UNTREATED CONCRETE**



**TREATED WITH 5000WB**



**UNTREATED WOOD**



**TREATED WITH 5000WB**

**PERMANENT APPLICATION AS A CURE AND SEAL CONCRETE PRODUCT**

**PENETRATES TO 1/4 OF AN INCH AS A SURFACE REPELLANT**

**NON VOC FORMULA**

**WILL BLOCK MOISTURE VAPOR TRANSFER**



**WILL NOT DEGRADE BY EXPOSURE TO UV, SALT, OR LAWN CHEMICALS.**

**EXCELLENT AS A GROUT SEALER FOR BRICK OR CERAMIC APPLICATIONS**



## IPP Performance Grade Roller Brush

USED WITH IPP UREATHANE TOP COATS





PENETRATES 3 TO 4 INCHES INTO CONCRETE LEAVING 1/16 INCH SURFACE LAYER TO ACCOMMODATE BONDING OF ENAMELS, EPOXY AND ADHESIVE FLOOR COATINGS

BLOCKS MOISTURE VAPOR TO ACCEPTABLE LEVELS

PROVIDES RUBBER MEMBRANE IN CAPPILARIES AND VOIDS IN CONCRETE TO BLOCK MOISTURE

EXCELANT PRODUCT FOR PRAKING GARAGE AND BASEMENT FLOORS TO REDUCE MOISTURE

PROVIDES AN EXCELLENT PENATRATING CLEANING ACTION FOR CONCRETE IMPURITIES SUCH AS OIL, EFFLORECENCE AND CLORIDES

VOC ARE UNDER GOVERNMENT EPA REQUIREMENTS.

**INSTACOAT PREMIUM PRODUCTS**