

# SAFETY DATA SHEET PG-1200 DTM Rust Primer

## **SECTION 1. IDENTIFICATION**

Product Name PG-1200 DTM Rust Primer

Chemical Family Water-based Acrylic Coating

Recommended Use/Restrictions Coating for spray polyurethane foam

Manufacturer ProGuard Group

2390 Supply Ave

Los Angeles, CA 90040

24-Hour Emergency Phone CHEMTREC 1-800-424-9300

Information Only (844) PRO-GUARD (776-4273)

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Eye irritation: May cause serious eye irritation

Skin sensitization: May cause skin irritation, allergic skin reaction

#### **GHS Label Elements**





Hazard pictograms:

Signal word: Warning

Hazard statements: May cause an allergic skin reaction.

Causes serious eye irritation.

Toxic to aquatic life with long lasting effects

Precautionary statements: **Prevention:** 

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood

Avoid breathing dust, mist, gas, vapors or spray. Wash skin and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace Wear permeation resistant protective gloves and clothing. Wear eye

and face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get

medical attention. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical attention. Storage:

Material Name: PG-1200 DTM Rust Primer	Page 1 of 7	SDS Version 1.1
--	-------------	-----------------

Store locked up.

## Disposal:

Dispose of contents and container in accordance with existing federal, state, and local environmental control laws.

#### SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous Components** 

Weight	Components	CAS-No.	Classification
Percent			
10 - 25%	Zinc Phosphate	0007779-90-0	Aquatic Acute/Chronic
0.1 – 1.0%	2-N-octyl-4-isothiazoline-3-one	0026530-20-1	Skin Sensitization
	-		Acute toxicity
			Aquatic Acute/Chronic
			·

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

## **SECTION 4. FIRST AID MEASURES**

## Most Important Symptom(s)/Effect(s)

**Acute:** Causes serious eye irritation with symptoms of reddening, tearing, swelling, and burning. May cause allergic skin reaction with symptoms of reddening, itching, swelling, and rash.

## **Eve Contact**

In case of contact, flush eyes with plenty of lukewarm water for at least 15 minutes. Get medical attention if irritation develops.

## **Skin Contact**

In case of skin contact, wash affected areas with soap and water. Immediately remove contaminated clothing and shoes. Get medical attention if irritation develops and persists.

## Inhalation

If inhaled, remove to fresh air. Get medical attention if irritation develops.

## Ingestion

If ingested, give 2 glasses of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention. Never give anything by mouth to an unconscious person.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable Extinguishing Media: Water, carbon dioxide, foam or dry powder

Unsuitable Extinguishing Media No Data Available

## **Fire Fighting Procedure**

Firefighters should be equipped with self-contained breathing apparatus to protect against normal combustion products and/or oxygen deficiency.

#### **Hazardous Decomposition Products**

Acrylic monomers

Avoid breathing dust/fumes/ gas/mist/vapors/spray

Material Name: PG-1200 DTM Rust Primer	Page <b>2</b> of <b>7</b>	SDS Version 1.1

## SECTION 6. ACCIDENTAL RELEASE MEASURES

## **Spill and Leak Procedures**

Cleanup personnel must use appropriate personal protective equipment. Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal.

## **SECTION 7. HANDLING AND STORAGE**

## **Handling/Storage Precautions**

Protect from freezing.

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No known incompatible materials for this product.

Recommended storage range is 45 - 90°F.

Keep container tightly closed.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components	CAS-No.	Source	Value
Zinc Phosphate	0007779-90-0	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
2-N-octyl-4-isothiazoline-3-one	0026530-20-1	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Components	CAS-No.	Source	Value
Zinc Phosphate	0007779-90-0	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No Group 2b: No; Group 4: No
2-N-octyl-4-isothiazoline-3-one	0026530-20-1	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No Group 2b: No; Group 4: No

## **Industrial Hygiene/Ventilation Measures**

General dilution and local exhaust as necessary to control airborne vapors, mists, dusts and thermal decomposition products below appropriate airborne concentration standards/guidelines.

## **Respiratory Protection**

In case of insufficient ventilation or exposure to concentrations above the exposure limit, wear suitable respiratory equipment.

## **Hand Protection**

Permeation resistant gloves

## **Eye Protection**

**S**plash proof goggles.

## **Skin Protection**

Material Name: PG-1200 DTM Rust Primer	Page <b>3</b> of <b>7</b>	SDS Version 1.1

Wear cloth work clothing including long pants and long-sleeved shirts.

#### **Additional Protective Measures**

Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product. Promptly remove soiled clothing and wash thoroughly before reuse. Emergency showers and eye wash stations should be available.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

State of Matter:liquidColor:VariousOdor:Not specifiedOdor Threshold:No Data AvailablepH:No Data Available

**Freezing Point:**0 °C (32 °F) similar to water **Boiling Point:**100 °C (212 °F) similar to water

Flash Point: Non-combustible Evaporation Rate: Less than 1 (n-BuAc=1)

Flammability (solid, gas)

Lower Explosion Limit:

Upper Explosion Limit:

Not applicable

Not applicable

Vapor Pressure: >1

Vapor Density:No Data AvailableSpecific Gravity:No Data AvailableSolubility in Water:Dispersible

Partition Coefficient: n-octanol/water:

Auto-ignition Temperature:

Decomposition Temperature:

Viscosity:

VOC Content

Not Measured

Not applicable

No Data Available

500 – 1100 cps

< 35 g/liter

**Density** 8.8 – 9.2 pounds per gallon **Volatile** 66 – 70% (by volume)

## **SECTION 10. STABILITY AND REACTIVITY**

#### **Hazardous Reactions**

Hazardous polymerization does not occur.

#### Stability

Stable under normal circumstances

## **Materials to Avoid**

None known

## **Hazardous Decomposition Products**

Acrylic monomers

## **Incompatible Materials**

None known

# **Acute Toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Zinc phosphate - (7779-90-0)	> 5,000.00, Rat - Category: NA	No data available	No data available	No data available	No data available
2-N-octyl-4-isothiazoline-3-one - (26530-20-1)	550.00, Rat - Category: 4	690.00, Rabbit - Category: 3	No data available	0.27, Rat - Category: 2	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

# **SECTION 12. ECOLOGICAL INFORMATION**

# **Toxicity**

Very toxic to aquatic life with long lasting effects. No additional information provided for this product.

# **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Zinc phosphate - (7779-90-0)	0.09, Oncorhynchus mykiss	0.04, Daphnia magna	0.136 (72 hr), Selenastrum capricornutum
2-N-octyl-4-isothiazoline-3-one - (26530-20-1)	0.0555, Oncorhynchus mykiss	0.18, Daphnia magna	0.084 (72 hr), Scenedesmus subspicatus

# Persistence and degradability

Material Name: PG-1200 DTM Rust Primer	Page <b>5</b> of <b>7</b>	SDS Version 1.1
--	---------------------------	-----------------

There is no data available on the preparation itself

## Bioaccumulative potential

Not Measured

## Mobility in soil

No data available

## Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals

## Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Waste Disposal Method**

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

#### **Container Precautions**

Recondition or dispose of empty container in accordance with governmental regulations. Do not reuse empty container without proper cleaning.

# **SECTION 14. TRANSPORT INFORMATION**

DOT (Domestic Surface	IMO / IMDG (Ocean	ICAO/IATA
Transportation)	Transportation)	

UN numberNot ApplicableNot RegulatedNot RegulatedUN proper shipping nameNot RegulatedNot RegulatedNot Regulated

Transport hazard class(es) DOT Hazard Class: Not IMDG: Not Applicable Air Class: Not Applicable

Applicable Sub Class: Not Applicable

 Packing group
 Not Applicable
 Not Applicable
 Not Applicable

**Environmental hazards** 

IMDG Marine Pollutant: Yes ( Zinc phosphate )

Special precautions for user

No further information

## **SECTION 15. REGULATORY INFORMATION**

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are

represented.

**Toxic Substance Control** 

Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification D2B

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes
Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **EPCRA 313 Toxic Chemicals:**

Zinc phosphate

## Proposition 65 - Carcinogens (>0.0%):

Benzophenone

Titanium dioxide

## Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **SECTION 16. OTHER INFORMATION**

The method of hazard communication for ProGuard Group is comprised of Product Labels and Safety Data Sheets.

Contact: Product Safety Department

Telephone: (844) 776-4273 Version Date: 08/31/2015

SDS Version: 1.1

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of ProGuard Group. The information in this SDS relates only to the specific material designated herein. ProGuard Group assumes no legal responsibility for use of or reliance upon the information in this SDS.