

Material Name: Silicone Gel 1395

***** Section 1 - Chemical Product and Company Identification *******Manufacturer Information**

Arnthane, Inc.
1002 West Main Street
Richmond, MO 64085

Emergency Numbers:

CHEMTREC (USA): 800-424-9300
CHEMTREC (Intl): 703-527-3887
National Poison Control: 800-222-1222

***** Section 2 - Hazards Identification *******Emergency Overview**

May cause eye and skin irritation.

Potential Health Effects: Eyes

May cause irritation.

Potential Health Effects: Skin

May cause irritation.

Potential Health Effects: Ingestion

Not a likely route of exposure under normal product use conditions. If swallowed, may cause gastrointestinal irritation.

Potential Health Effects: Inhalation

Not expected due to low vapor pressure.

HMIS Ratings: Health: 1 Fire: 0 HMIS Reactivity 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

***** Section 3 - Composition / Information on Ingredients *****

CAS #	Component
22984-54-9	2-Butanone, O,O',O''-(methylsilylidyne)trioxime
1760-24-3	N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine
37244-96-5	Anhydrous sodium potassium alumino silicate
63148-62-9	Poly(dimethylsiloxane)
1333-86-4	Carbon black
112945-52-5	Silica, amorphous, fumed, crystal-free
96-29-7	Methyl ethyl ketoxime
34206-40-1	2-Butanone, O,O',O'',O'''-silanetetrayltetraoxime

***** Section 4 - First Aid Measures *******First Aid: Eyes**

In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes.

First Aid: Skin

For skin contact, wash immediately with soap and water. If irritation persists, get medical attention.

First Aid: Ingestion

If the material is swallowed, get immediate medical attention or advice.

First Aid: Inhalation

None necessary.

***** Section 5 - Fire Fighting Measures *******General Fire Hazards**

PSee Section 9 for Flammability Properties.

This material does not present any unusual fire or explosion hazards.

Hazardous Combustion Products

Oxides of carbon, formaldehyde, silicon dioxide and hydrocarbons.

Material Name: Silicone Gel 1395

Extinguishing Media

Use water mist, carbon dioxide, sand, dry chemical or alcohol-resistant foam.

Fire Fighting Equipment/Instructions

Firefighters should wear full protective gear.

NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

***** Section 6 - Accidental Release Measures *******Containment Procedures**

Prevent material from entering surface waters, drains or sewers and soil. Contain any fluid that runs out using suitable material. Close leak if possible without risk.

Clean-Up Procedures

Take up mechanically and dispose of according to local, state, and federal regulations. For small amounts: Absorb with a liquid binding material such as diatomaceous earth. Contain larger amounts and pump up into suitable containers. Clean any slippery coating that remains using a detergent/soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

Evacuation Procedures

Isolate area. Keep unnecessary personnel away.

Special Procedures

Disposal of spilled materials should be in accordance with local, state, and federal regulations.

***** Section 7 - Handling and Storage *******Handling Procedures**

Avoid contact with skin and eyes. Spilled substance increases risk of slipping.

Storage Procedures

Keep container tightly closed and in a dry and cool place.

***** Section 8 - Exposure Controls / Personal Protection *******A: Component Exposure Limits****Carbon black (1333-86-4)**

ACGIH: 3.5 mg/m3 TWA

OSHA: 3.5 mg/m3 TWA

NIOSH: 3.5 mg/m3 TWA; 0.1 mg/m3 TWA (as PAH, carbon black in presence of polycyclic aromatic hydrocarbons)

Ethyl silicate (78-10-4)

ACGIH: 10 ppm TWA

OSHA: 10 ppm TWA; 85 mg/m3 TWA

NIOSH: 10 ppm TWA; 85 mg/m3 TWA

Engineering Controls

Use with adequate ventilation.

PERSONAL PROTECTIVE EQUIPMENT**Personal Protective Equipment: Eyes/Face**

Safety glasses with side shields.

Personal Protective Equipment: Skin

Use appropriate hand protection.

Personal Protective Equipment: Respiratory

Not normally required.

Personal Protective Equipment: General

Eye wash fountain is recommended.

***** Section 9 - Physical & Chemical Properties *****

Material Name: Silicone Gel 1395

Appearance:	Clear	Odor:	None
Physical State:	Liquid	pH:	ND
Vapor Pressure:	ND	Vapor Density:	ND
Boiling Point:	ND	Melting Point:	ND
Solubility (H2O):	ND	Specific Gravity:	ND
Evaporation Rate:	ND	VOC:	
Octanol/H2O Coeff.:	ND	Flash Point:	ND
Flash Point Method:	ND	Upper Flammability Limit (UFL):	ND
Lower Flammability Limit (LFL):	ND	Burning Rate:	ND
Auto Ignition:	ND		

* * * Section 10 - Chemical Stability & Reactivity Information * * *

Chemical Stability

This is a stable material.

Chemical Stability: Conditions to Avoid

None known

Incompatibility

None known.

Hazardous Decomposition

Not determined.

Possibility of Hazardous Reactions

Will not occur.

* * * Section 11 - Toxicological Information * * *

Acute Dose Effects**A: General Product Information**

No information available for the product.

B: Component Analysis - LD50/LC50**Carbon black (1333-86-4)**

Oral LD50 Rat: >15400 mg/kg; Dermal LD50 Rabbit:>3 g/kg

N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine (1760-24-3)

Oral LD50 Rat: 7460 µL/kg

Silica, amorphous, fumed, crystal-free (112945-52-5)

Oral LD50 Rat: 3160 mg/kg

Poly(dimethylsiloxane) (63148-62-9)

Oral LD50 Rat: >17 g/kg; Dermal LD50 Rabbit:>2 g/kg

Methyl ethyl ketoxime (96-29-7)

Inhalation LC50 Rat: 20 mg/L/4H; Oral LD50 Rat:930 mg/kg; Dermal LD50 Rabbit:0.2 mg/kg

Carcinogenicity**A: General Product Information**

No information available for the product.

Material Safety Data Sheet

Material Name: Watersheld 1395 BG

B: Component Carcinogenicity

Carbon black (1333-86-4)

ACGIH: A4 - Not Classifiable as a Human Carcinogen

NIOSH: potential occupational carcinogen

IARC: Monograph 93 [in preparation], Monograph 65 [1996] (Group 2B (possibly carcinogenic to humans))

Silica, amorphous, fumed, crystal-free (112945-52-5)

IARC: Monograph 68 [1997] (listed under Amorphous silica) (Group 3 (not classifiable))

*** Section 12 - Ecological Information ***

Ecotoxicity

A: General Product Information

No information available for the product.

B: Component Analysis - Ecotoxicity - Aquatic Toxicity

Carbon black (1333-86-4)

Test & Species

Test & Species	Concentration	Conditions
24 Hr EC50 Daphnia magna	>5600 mg/L	

Methyl ethyl ketoxime (96-29-7)

Test & Species

Test & Species	Concentration	Conditions
96 Hr LC50 Pimephales promelas	843 mg/L [flow-through]	
96 Hr LC50 Leuciscus idus	320-1000 mg/L	
96 Hr LC50 Poecilia reticulata	760 mg/L [static]	
72 Hr EC50 Scenedesmus subspicatus	83 mg/L	
48 Hr EC50 Daphnia magna	750 mg/L	

*** Section 13 - Disposal Considerations ***

US EPA Waste Number & Descriptions

Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions

All wastes must be handled in accordance with local, state and federal regulations.

See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

*** Section 14 - Transportation Information ***

US DOT Information

Shipping Name: Not Regulated

*** Section 15 - Regulatory Information ***

US Federal Regulations

Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

Material Safety Data Sheet

Material Name: Watershed 1395 BG

State Regulations

Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	RI
Carbon black	1333-86-4	Yes	Yes	Yes	Yes	Yes	Yes
Methyl ethyl ketoxime	96-29-7	No	No	Yes	No	No	No

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer.

Component Analysis - WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS #	Minimum Concentration
Carbon black	1333-86-4	1 %

Additional Regulatory Information

Component Analysis - Inventory

Component	CAS #	TSCA	CAN	EEC
2-Butanone, O,O',O''-(methylsilyldiyl)trioxime	22984-54-9	Yes	DSL	EINECS
Carbon black	1333-86-4	Yes	DSL	EINECS
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	Yes	DSL	EINECS
Silica, amorphous, fumed, crystal-free	112945-52-5	No	DSL	No
Anhydrous Sodium Potassium alumino silicate	37244-96-5	No	DSL	No
Poly(dimethylsiloxane)	63148-62-9	Yes	DSL	No
Methyl ethyl ketoxime	96-29-7	Yes	DSL	EINECS
2-Butanone, O,O',O''',O''''-silanetetrayltetraoxime	34206-40-1	Yes	DSL	EINECS

*** Section 16 - Other Information ***

Other Information

The information herein is presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

Key/Legend

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration., NJTSR = New Jersey Trade Secret Registry.