

# SAFETY DATA SHEET EVERCOAT GLAZE

#### **SECTION 1. IDENTIFICATION**

Product Name Skylight Rest

Chemical Family Acrylic Latex

Recommended Use/Restrictions Coatings product

Manufacturer Proguard Building

14422 Best Ave., Santa Fe Springs, CA 90670

24-Hour Emergency Phone 800.424.9300

Information Only 844.776.8423

### **SECTION 2. HAZARDS IDENTIFICATION**

## **Hazard Classification**

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

#### Other hazards

No data available

## **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

## **Hazardous Components**

Weight	Components	CAS-No.	Classification
<u>Percent</u>			
>=45.0 - <=46.0%	Acrylic Polymers		Non-hazardous
<0.05%	Residual Monomers		Not available
0.1 - 1%	Aqua Ammonia	1336-21-6	
>=54.0 - <=55.0%	Water	7732-18-5	

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

## **SECTION 4. FIRST AID MEASURES**

## **Description of first aid measures**

Inhalation: Move to fresh air

Eye Contact: In case of contact, flush eyes with plenty of lukewarm water. Get medical attention if irritation

develops or persists.

|--|

**Skin Contact:** In case of skin contact, wash affected areas with soap and water. Get medical attention if irritation develops and persists.

**Ingestion:** If ingested, do not induce vomiting unless directed to do so by medical personnel. Drink 1 or 2 glasses of water. Get medical attention if necessary. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and indication of medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding fire.

Unsuitable Extinguishing Media No Data Available

**Fire Fighting Procedure** Firefighters should be equipped with self-contained breathing apparatus.

#### **Hazardous Decomposition Products**

By Thermal Decomposition: carbon monoxide, carbon dioxide, Acrylic monomers, other potentially toxic fumes

**Unusual Fire/Explosion Hazards** Material can splatter above 100C/212°F

Dried product can burn..

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### Spill and Leak Procedures

Cleanup personnel must use appropriate personal protective equipment. Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal.

#### SECTION 7. HANDLING AND STORAGE

## **Handling/Storage Precautions**

Avoid breathing dust, vapor, or mist. Avoid contact with skin or clothing. Avoid contact with eyes. Use only with adequate ventilation/personal protection. Wash thoroughly after handling. Keep container closed when not in use. Protect from freezing. STIR WELL BEFORE USE.

#### **Storage Period:**

12 Months

**Storage Temperature** 

 Minimum:
 1 °C (33.8 °F)

 Maximum:
 49 °C (120.2 °F)

**Storage Conditions** 

None known

**Substances to Avoid** 

None known

Other

Monomer vapers can be evolved when material

is heated during processing operations

Material Name: Skylight Restorer	Page <b>2</b> of <b>7</b>	SDS Version 1.1
----------------------------------	---------------------------	-----------------

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

For substances listed in Section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Component	Location	Agency	Limit type
Aqua Ammonia	USA OSHA	OSHA TWA (mg/m³)	35 mg/m3 50ppm
(1336-21-6)	USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	25 ppm, Ammonia
	USA ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	35 ppm, Ammonia

## **Industrial Hygiene/Ventilation Measures**

General dilution and local exhaust as necessary with a minimum capture velocity of 100ft/min at the point of vapor evolution to control airborne vapors, mists, dusts and thermal decomposition products below appropriate airborne concentration standards/guidelines.

#### **Respiratory Protection**

In case of insufficient ventilation, wear suitable respiratory equipment.

#### **Hand Protection**

Permeation resistant gloves.

#### **Eye Protection**

Safety glasses with side-shields.

#### **Skin Protection**

Wear cloth work clothing including long pants and long-sleeved shirts.

## **Additional Protective Measures**

Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product. Emergency showers and eye wash stations should be available.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

State of Matter: liquid
Color: Various
Odor: Ammonia

Odor Threshold: No Data Available

**pH:** 7.5 – 8.5

Freezing Point: No data available

**Boiling Point:** 100 °C (212 °F) similar to water

Flash Point:

Evaporation Rate:

Noncombustible

<1.00 similar to water

Lower Explosion Limit:Not applicableUpper Explosion Limit:Not applicable

Vapor Pressure: 17.0 mmHg @ 20 °C (68 °F) similar to water

**Density:** 1.00 – 1.20

Relative Vapor Density: <1.00 similar to water

Solubility in Water: Dilutable

Partition Coefficient: n-octanol/water:

Auto-ignition Temperature:

Decomposition Temperature:

Dynamic Viscosity:

No Data Available

No Data Available

50 – 550 mPa.s

Kinematic Viscosity:

No Data Available

**Percent volatility** 54.0 – 55.0% similar to water

Material Name: Skylight Restorer	Page <b>3</b> of <b>7</b>	SDS Version 1.1
----------------------------------	---------------------------	-----------------

NOTE: The physical data presented above are typical values and should not be construed as a specification.

#### SECTION 10. STABILITY AND REACTIVITY

#### **Hazardous Reactions**

None known. Product will not undergo polymerization.

## Stability

Stable

## **Materials to Avoid**

None known.

## **Hazardous Decomposition Products**

Thermal decomposition may yield acrylic monomers.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Toxicity Data for EVERCOAT Glaze**

## **Acute toxicity**

Acute oral toxicity LD50, Rat, > 5,000 mg/kg Acute dermal toxicity LD50, Rabbit, > 5,000 mg/kg Acute inhalation toxicity Product test data not available.

#### Skin corrosion/irritation

May cause transient irritation.

## Serious eye damage/eye irritation

No eye irritation

## Sensitization

Product test data not available.

#### Specific Target Organ Systemic Toxicity (Single Exposure)

Product test data not available.

## Specific Target Organ Systemic Toxicity (Repeated Exposure)

Product test data not available.

## Carcinogenicity

Product test data not available.

## **Teratogenicity**

Product test data not available.

#### Reproductive toxicity

Product test data not available.

#### Mutagenicity

Product test data not available.

## **Aspiration Hazard**

Product test data not available.

#### **Additional information**

No data are available for this material. The information shown is based on profiles of compositionally similar materials.

## Toxicity Data for Acrylic polymer(s)

#### Acute Inhalation Toxicity

The LC50 has not been determined.

## Toxicity Data for Residual monomers-

### **Acute Inhalation Toxicity**

The LC50 has not been determined.

## **Toxicity Data for Aqua Ammonia**

#### **Acute Inhalation Toxicity**

LC50, Rat, male, 1 Hour, dust/mist, 9.850 mg/l

#### Sensitization

For skin sensitization: No relevant data found.

For respiratory sensitization: No relevant data found.

## **Specific Target Organ Systemic Toxicity (Repeated Exposure)**

Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

## Carcinogenicity

Did not cause cancer in laboratory animals.

#### **Teratogenicity**

Available data are inadequate for evaluation of potential to cause fetotoxicity.

#### Reproductive toxicity

Available data are inadequate to determine effects on reproduction.

## Mutagenicity

In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

## **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

#### **SECTION 12. ECOLOGICAL INFORMATION**

No data available for this material. The information shown is based on profiles of compositionally similar materials.

#### **Toxicity**

#### Acute toxicity to fish

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, >CUST-RH000000000599, OECD Test Guideline 203 or Equivalent

## Acute toxicity to algae/aquatic plants

EC50, Algae (Selenastrum capricornutum), 72 Hour, >100 ppm

## Toxicity to bacteria

Microtox, 15 Minute EC50: >300 ppm

## Persistence and degradability

Material Name: Skylight Restorer	Page <b>5</b> of <b>7</b>	SDS Version 1.1
----------------------------------	---------------------------	-----------------

## Acrylic polymer(s)

Biodegradability: No relevant data found.

#### **Residual monomers**

## **Biodegradability:**

No relevant data found.

## Aqua ammonia

**Biodegradability:** Material is expected to be readily biodegradable. Biodegradation may occur under aerobic conditions (in the presence of oxygen).

Theoretical Oxygen Demand: 3.76 mg/mg Estimated.

#### Bioaccumulative potential

Bioaccumulation: no data available

#### Mobility in soil

#### Residual monomers

No relevant data found.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Waste Disposal Method**

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

#### **Container Precautions**

Recondition or dispose of empty container in accordance with governmental regulations. Do not reuse empty container without proper cleaning.

## **SECTION 14. TRANSPORT INFORMATION**

**DOT** Not regulated for transport

## Classification for SEA transport (IMO-IMDG):

Not regulated for transport

Consult IMO regulations before transporting ocean bulk

Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC

or IGC Code

#### Classification for AIR transport (IATA/ICAO):

Not regulated for transport

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

#### SECTION 15. REGULATORY INFORMATION

#### **OSHA Hazard Communication Standard**

This product is considered non-hazardous under the OSHA Hazard Communication Standard (29CFR1910.1200).

## Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

## Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product does not contain a chemical which is listed in Section 313 at or above de minimis concentrations.

#### Pennsylvania

Any material listed as "Not Hazardous" in the CAS REG NO column of SECTION 2, Composition/Information On Ingredients, of this MSDS is a trade secret under the provisions of the Pennsylvania Worker and Community Right-to-Know Act.

## **United States TSCA Inventory (TSCA)**

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

#### **SECTION 16. OTHER INFORMATION**

The method of hazard communication for Proguard Building is comprised of Product Labels and Safety Data Sheets.

Contact: Product Safety

Telephone: Department 800.424.9300

Version Date: 05/30/2015

SDS Version: 1.1

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Proguard Building. The information in this SDS relates only to the specific material designated herein. Proguard Building assumes no legal responsibility for use of or reliance upon the information in this SDS.