

ELEMAX SS FLASHING 4"X50' ROLL

SAFETY DATA SHEET

1. Identification

Product identifier: ELEMAX SS FLASHING 4"X50' ROLL

Other means of identification Not available.

Recommended use and restriction on use

Recommended use: Article Protection of construction materials

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials USA LLC
2750 Balltown Road,
Niskayuna, NY 12309

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number
Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification
Not classified

Label Elements

Hazard Symbol: No symbol
Signal Word: No signal word.
Hazard Statement: not applicable
Precautionary Statements not applicable

Other hazards which do not result in GHS classification: None.

3. Composition/information on ingredients

ELEMAX SS FLASHING 4"X50' ROLL

Substances

Composition Comments: The components are not hazardous or are below required disclosure limits.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable training. Consult a physician for specific advice.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Do not give victim anything to drink if he is unconscious. Get medical attention if any discomfort continues.

Inhalation: Move to fresh air. Get medical attention if symptoms occur.

Skin Contact: After contact with skin, remove product mechanically. Wash area with soap and water. Contact physician if irritation continues.

Eye contact: Rinse the eye with water immediately. If eye irritation persists: Get medical advice/attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: There is no specific antidote. Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use water fog, alcohol-resistant foam, dry chemical or carbon dioxide (CO₂) to extinguish flames.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract.

Special protective equipment and precautions for firefighters

ELEMAX SS FLASHING 4"X50' ROLL

Special fire fighting procedures:

Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin and eyes. Keep out of reach of children. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

Shovel up and place in a container for salvage or disposal. Wear proper protective equipment as specified in the protective equipment section.

Notification Procedures:

Not relevant, due to the form of the product.

7. Handling and storage

Precautions for safe handling:

Wear appropriate personal protective equipment.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry place. Store in original container.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

not applicable

Appropriate Engineering Controls

No special precautions.

Individual protection measures, such as personal protective equipment

General information:

No data available.

Eye/face protection:

Safety glasses with side shields

Skin Protection

Hand Protection:

Chemical resistant gloves

Other:

Wear suitable protective clothing and eye/face protection.

ELEMAX SS FLASHING 4"X50' ROLL

Respiratory Protection: If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wash hands after handling. When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state: solid
Form: solid
Color: Silver, /, White
Odor: No data available.
Odor threshold:
pH: not applicable
Melting point/freezing point: not applicable
Initial boiling point and boiling range: not applicable
Flash Point: not applicable
Evaporation rate: not applicable
Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):
Flammability limit - lower (%):
Explosive limit - upper (%): No data available.
Explosive limit - lower (%): No data available.

Heat of combustion: No data available.

Vapor pressure: not applicable

Vapor density: not applicable

Density: not applicable

Relative density: 8.8 - 8.9

Solubility(ies)

Solubility in water: Insoluble
Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log Pow: not applicable

Auto-ignition temperature: not applicable

Decomposition temperature: No data available.

SADT: No data available.

ELEMAX SS FLASHING 4"X50' ROLL

Viscosity, dynamic: not applicable
Viscosity, kinematic: No data available.
VOC: ; not applicable

10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: None known.

Incompatible Materials: Hydrogen peroxide (H₂O₂) Chlorine. Halogens and halogenated compounds. acetylene Hydrocarbons

Hazardous Decomposition Products: Carbon Monoxide. Carbon dioxide Toxic metal fumes.

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product: not applicable

Dermal Product: not applicable

ELEMAX SS FLASHING 4"X50' ROLL

Inhalation

Product: not applicable

Repeated dose toxicity

Product: not applicable

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: not applicable

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: not applicable

In vivo

Product: not applicable

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

ELEMAX SS FLASHING 4"X50' ROLL

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: not applicable

Mobility in soil: No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information:

The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions:

Recover and reclaim or recycle, if practical. Disposal should be made in accordance with federal, state and local regulations.

Contaminated Packaging:

Dispose of as unused product.

ELEMAX SS FLASHING 4"X50' ROLL

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user:

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

ELEMAX SS FLASHING 4"X50' ROLL

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Article comprising of <80% Stainless steel, >10% Butyl copolymer and
> 10% Paper release liner

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health		0
Flammability		0
Physical Hazards		0
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 02/15/2018

Revision Date: No data available.

Version #: 1.0

Further Information: No data available.

ELEMAX SS FLASHING 4"X50' ROLL

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.