

Revision Date: 01/28/2019

## **OPTIC 3101 CLEAR 5GP**

# SAFETY DATA SHEET

## 1. Identification

Product identifier: OPTIC 3101 CLEAR 5GP

Other means of identification

Synonyms: Silicone Coating

Recommended use and restriction on use

Recommended use: Protection of construction materials

Restrictions on use: For industrial use only.

Manufacturer/Importer/Distr :

Momentive Performance Materials USA LLC

ibutor Information

2750 Balltown Road, Niskayuna, NY 12309

Contact person : commercial.services@momentive.com

**Telephone** : General information

+1-800-295-2392

**Emergency telephone** 

number

Supplier : CHEMTREC

1-800-424-9300

# 2. Hazard(s) identification

#### **Hazard Classification**

**Physical Hazards** 

Flammable liquids Category 4

**Health Hazards** 

Toxic to reproduction Category 2

## **Unknown toxicity - Health**

Acute toxicity, oral	0 %
Acute toxicity, dermal	0 %
Acute toxicity, inhalation, vapor	0 %
Acute toxicity, inhalation, dust or mist	0 %

#### **Label Elements**

## **Hazard Symbol:**

SDS\_US 1/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**



Signal Word: Warning

**Hazard Statement:** H227; Combustible liquid.

H361; Suspected of damaging fertility or the unborn child.

**Precautionary Statements** 

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

> sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use

personal protective equipment as required.

Response: IF exposed or concerned: Get medical advice/attention. In case of fire, use

sand, dry chemical or alcohol-resistant foam.

Store in a well-ventilated place. Keep cool. Store locked up. Storage:

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not

Static accumulating flammable liquid can become electrostatically charged result in GHS classification:

even in bonded and grounded equipment. Sparks may ignite liquid and

vapor. May cause flash fire or explosion.

Substance(s) formed under the

conditions of use:

Generates methanol during cure.

## 3. Composition/information on ingredients

SDS\_US 2/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*	Notes
Titanium, Bis (ethyl acetoacetato)-diis propoxy	27858-32-8	1 - <5%	# This substance has workplace exposure limit(s).
Octamethylcyclotetrasiloxane	556-67-2	0.1 - <1%	# This substance has workplace exposure limit(s).

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable

training.

**Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water.

**Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration

using a barrier device. If breathing is difficult give oxygen. Get medical

attention.

**Skin Contact:** Wash contaminated clothing before reuse. In case of contact, immediately

flush skin with plenty of soap and water for at least 15 minutes. Get medical

attention.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Treatment is symptomatic and supportive.

## 5. Fire-fighting measures

General Fire Hazards: Fire residues and contaminated fire extinguishing water must be disposed

of in accordance with local regulations. Use standard firefighting procedures and consider the hazards of other involved materials.

SDS\_US 3/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**

## Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray Carbon dioxide Foam.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

## Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

When using do not smoke. Do not empty into drains.

Special protective equipment

for fire-fighters:

CombustibleThis product or a component thereof can flow along surfacesto reach a distant ignition source and flash back. Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Product releases methanol during application and curing. Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Avoid inhalation of vapors and spray mists. Keep container closed. Keep out of reach of children. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning

up:

Wear proper protective equipment as specified in the protective equipment section. Wipe, scrape, or soak up in an inert material and put in a container intended for flammable materials for disposal. Warn other workers of spill.

Keep unauthorized personnel away.

Notification Procedures: Caution: Contaminated surfaces may be slippery. See Section 8 of the SDS

for Personal Protective Equipment.

Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

## 7. Handling and storage

Precautions for safe handling:

Sensitivity to static discharge is expected; material has a flash point below 200 F. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Use only in well-ventilated areas. See Section 8 of the SDS for Personal Protective Equipment.

SDS\_US 4/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**

Conditions for safe storage, including any incompatibilities:

Keep container tightly closed. Recommended storage in original container below 30'C (85'F).

## 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Socapational Exposure Ellints				
Chemical Identity	Туре	Exposure Limit Values	Source	
Octamethylcyclotetrasiloxane	TWA	5 ppm		
Octamethylcyclotetrasiloxane - Vapor.	ST ESL	1,000 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)	
	AN ESL	100 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)	
Octamethylcyclotetrasiloxane	TWA	10 ppm	US. OARS. WEELS Workplace Environmental Exposure Level Guide (2014)	

Appropriate Engineering Controls

Eye wash facilities and emergency shower must be available when

handling this product.

Individual protection measures, such as personal protective equipment

General information: Ventilation and other forms of engineering controls are preferred for

controlling exposures. Respiratory protection may be needed for non-

routine or emergency situations.

Eye/face protection: Monogoggles

**Skin Protection** 

Hand Protection: Chemical resistant gloves

Other: Wear rubber apron. Wear suitable protective clothing and eye/face

protection.

**Respiratory Protection:** If exposure limits are exceeded or respiratory irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA

regulations (see 29CFR 1910.134).

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

## 9. Physical and chemical properties

SDS\_US 5/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**

**Appearance** 

Physical state:liquidForm:liquidColor:Milky white

Odor: Mild

Odor threshold:

pH:

No data available.

Flash Point: 81.5 °C (ASTM D56 (Tag (Closed Cup)))

Evaporation rate: No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

Vapor pressure: No data available.

Vapor density:No data available.Density:1.03 g/cm3Relative density:1.03

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

No data available.

No data available.

No data available.

Pow

Auto-ignition temperature:No data available.Decomposition temperature:No data available.SADT:No data available.

Viscosity, dynamic: 10,000 mPa·s (40 °C) | 12,000 mPa·s (23 °C)

Viscosity, kinematic: No data available.

**VOC:** 24 g/l ;

# 10. Stability and reactivity

**Reactivity:** No dangerous reaction if used as recommended.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerisation does not occur.

SDS\_US 6/14



Revision Date: 01/28/2019

#### OPTIC 3101 CLEAR 5GP

Conditions to avoid: Keep away from heat. Keep away from sources of ignition - No smoking.

Incompatible Materials: Water. Acids. Bases.

**Hazardous Decomposition** 

**Products:** 

Carbon oxides Oxides of silicon. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of

formaldehyde are formed due to oxidative degradation.

# 11. Toxicological information

Information on likely routes of exposure

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LD 5

ane

LD 50 (Rat): 4,800 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): > 2,400 mg/kg

ane

Inhalation

**Product:** Not classified for acute toxicity based on available data.

SDS\_US 7/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**

Specified substance(s):

Octamethylcyclotetrasilox LC50 (Rat): 36 mg/l

ane

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox

ane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox

Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology:

Micronucleus Test)) Inhalation (Rat, male and female): negative

Reproductive toxicity

ane

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

SDS\_US 8/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**

Specific Target Organ Toxicity - Repeated Exposure
Product:
No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

Specified substance(s):

Octamethylcyclotetrasil

oxane

Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is welldocumented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

SDS\_US 9/14



Revision Date: 01/28/2019

## OPTIC 3101 CLEAR 5GP

# 12. Ecological information

## **Ecotoxicity:**

Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and Degradability

**Biodegradation** 

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox 3.7 % (29 d, 310 Ready Biodegradability - CO<sub>2</sub> in Sealed Vessels

ane (Headspace Test)) Not readily biodegradable.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox Fathead Minnow, Bioconcentration Factor (BCF): 12.40

ane

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

SDS\_US 10/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Titanium, Bis(ethyl

acetoacetato)-diispropoxy

Octamethylcyclotetrasiloxa

No data available.

No data available.

ne

Other adverse effects: No data available.

## 13. Disposal considerations

**General information:** The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

**Disposal instructions:** Disposal should be made in accordance with federal, state and local

regulations.

**Contaminated Packaging:** Dispose of as unused product.

# 14. Transport information

DOT

UN Number: NA 1993

UN Proper Shipping Name: Combustible liquid, n.o.s.(Decamethylcyclopentasiloxane,

METHYLTRIMETHOXYSILANE, Titanium, Bis(ethyl

acetoacetato)-diispropoxy)

Transport Hazard Class(es)

Class: CBL
Label(s): NONE
Packing Group: III
Marine Pollutant: No

**IMDG** 

Not regulated.

**IATA** 

Not regulated.

Special precautions for user: This product is Combustible as defined by the US Department of

Transportation (DOT). It is regulated for transport in the US in container > 119 gallons. The product is not regulated for transport

by the IATA, ADR/RID, ADNR or the IMDG regulations.

## 15. Regulatory information

## **US Federal Regulations**

SDS\_US 11/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

## CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

## Hazard categories

Flammable (gases, aerosols, liquids, or solids) Reproductive toxicity

#### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

## SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

Titanium, Bis(ethyl 10000 lbs

acetoacetato)-diispropoxy

Octamethylcyclotetrasiloxa 10000 lbs

ne

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

#### **US State Regulations**

#### US. California Proposition 65



#### WARNING

Reproductive Harm - www.P65Warnings.ca.gov

## US. New Jersey Worker and Community Right-to-Know Act

## **Chemical Identity**

Siloxanes and Silicones, di-Me hydroxy terminated

Decamethylcyclopentasiloxane

Silica

Methyltrimethoxysilane

2-Propenoic acid, 2-methyl-, methyl ester, homopolymer

Octamethylcyclotetrasiloxane

SDS\_US 12/14



Revision Date: 01/28/2019

## OPTIC 3101 CLEAR 5GP

# US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

## US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

#### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

## **Inventory Status:**

veniory Status.	T .	T
Australia AICS:	On or in compliance with the inventory Remarks: None.	
Canada DSL Inventory List:	Not in compliance with the	Remarks: None.
EINECS, ELINCS or NLP:	on or in compliance with the	Remarks: None.
	inventory	
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	Not in compliance with the inventory.	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.

# 16.Other information, including date of preparation or last revision

#### **HMIS Hazard ID**

Health	*	0
Flammability		2
Physical Hazards	1	
PERSONAL PROTECTIO	N	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 01/28/2019

Revision Date: No data available.

SDS\_US 13/14



Revision Date: 01/28/2019

#### **OPTIC 3101 CLEAR 5GP**

Version #: 3.0

**Further Information:** No data available.

Disclaimer:

## Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor

for use in the manufacture of multiple use contraceptives.

Keep out of the reach of children.

## **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS\_US 14/14